


# SCHIARA 2 27M:35M

NEW PRODUCT

Single Split



▶ A+++  
▶ A++



## Split

### SHIARA2?

- ✓ NetHome Plus : Amaxon Alexa Google Assistant
- ✓ :
- ✓ :
- ✓ Split/MULTISplit 180°

180°

180

70°




- ✓
- ✓
- ✓

2-

AUTO



Single Split





- ✓
- ✓
- ✓
- ✓


( VOCs )  
H2O

99%





Single Split




		<b>27M</b>		<b>35M</b>	
	(Min.-Max.)	Btu/h	9.000 (4.200~11.300)	12.000 (4.500~14.700)	
	(Min.-Max.)		2,6 (1,2~3,3)	3,5 (1,3~4,3)	
	(Min.-Max.)	Btu/h	10.000 (2.900-12.700)	13.000 (3.000~15.000)	
	(Min.-Max.)		2,9 (0,8~3,7)	3,8 (0,9~4,4)	
	(Min.-Max.)		600 (100~1.260)	900 (130~1.650)	
	(Min.-Max.)		623 (110-1.320)	950 (120~1.500)	
	(Min.-Max.)	A	2,6 (0,4~5,5)	3,91 (0,6~7,2)	
	(Min.-Max.)	A	2,7 (0,4-5,7)	4,13 (0,5~6,5)	
		-	A+++	A+++	
			2,6	3,5	
	SEER	-	8,80	8,50	
		/	103	146	
		-	A++	A++	
			2,5	2,5	
	SCOP	-	4,60	4,60	
		/	776	776	
		-	A+++	A+++	
	SCOP	-	6,00	6,00	
EER		-	4,33	3,91	
COP		-	4,65	4,01	

		<b>IE2-Y</b>	<b>27M</b>	<b>35M</b>
			AAHEQ10001	AAHEQ20001
	x x		920x211x321	920x211x321
	x x		1005x295x385	1005x295x385
/			11,3/14,2	11,3/14,2
		-	PUF	PUF
	H/M/L	3/	700/515/425	700/515/425
		/	1,0	1,2
	H	(A)	53	53
	H/M/L	(A)	40/32,5/21,5	40/32,5/21,5
		-	RG10X1-G2HS-BGEF	RG10X1-G2HS-BGEF
		°C	17~30	17~30
/ /		/ /	230 / 50 / 1	230 / 50 / 1

		<b>ME2-Y</b>	<b>27M</b>	<b>35M</b>
			AAKEQ10001	AAKEQ20001
	x x		765x303x555	765x303x555
	x x		887x337x610	887x337x610
/			26,4/28,8	26,4/28,8
		(A)	62	62
		(A)	53,5	53,5
		°C	16~32	16~32
		°C BS	-15~50	-15~50
		°C	0~30	0~30
		°C BU	-15~24	-15~24
/GWP		-	R-32 / 675	R-32 / 675
/ /		/ /	230 / 50 / 1	230 / 50 / 1
50	MFA	A	20	20

SEER SCOP, EN 14825 EN14511/EN12102  
 PUF = H= ; M= ; L= ; S= 35° / 24° 27° / 19°  
 7° / 16° 20° / 15°  
 UE 626/2011

		<b>27M</b>	<b>35M</b>
ODU/IDU	L1	25	25
	H1	±10	±10
	/	0,70 / 5	0,70 / 5
	CO <sub>2</sub>	0,47	0,47
	/	12	12
	/	Φ6,35 - 1/4"	Φ6,35 - 1/4"
/	Φ9,52 - 3/8"	Φ9,52 - 3/8"	



Single Split

		<b>27M</b>	<b>35M</b>
ODU	V/Hz/n°	230 / 50 / 1	230 / 50 / 1
	no. of cables / section	2 x 1,5mm <sup>2</sup> + G	2 x 1,5mm <sup>2</sup> + G
	no. of cables / section	2 x 1,5mm <sup>2</sup>	2 x 1,5mm <sup>2</sup>
IDU	V/Hz/n°	from ODU	from ODU
	no. of cables / section	2 x 1,5mm <sup>2</sup> + G	2 x 1,5mm <sup>2</sup> + G
	no. of cables / section	2 x 1,5mm <sup>2</sup>	2 x 1,5mm <sup>2</sup>

RG10X1-G2HS-BGEF

NWMX

Wi-fi

STELVIO

2022 .