
BOX 2 650x650 27M÷53M



Multi Split

BOX 2?

✓ Multi Split
✓ 60 60
✓ (750 2)

/ 750









































ON/OFF

ON/OFF

















647x647x50

715x715x123

14,7/19,3



647x647x50

715x715x123

16,2/21,4



IB3-XY

53M AAKBQ40001

18.000 5,3 18.500 5,4

570x570x260

662x662x317

647x647x50

715x715x123

16,2/21,4

650X650 T-MBQ4-03B4 (

WF-60A1-C

) KJR-120X2-TFBG-E RG10A-D2S-BGEF

)	() ()
	IB3-XY	27M	35M
		AAKBQ10001	AAKBQ20001
	Btu/h	9.000	12.000
		2,6	3,5
	Btu/h	10.000	14.000
		2,9	4,1
X X		570x570x260	570x570x260
X X		662x662x317	662x662x317

2,5/4,5 2,5/4,5 2,5/4,5 R/W R/W R/W 3/ (A) (A) °C BS H/M/L 580/500/450 617/504/415 680/560/500 53 56 56 H/M/L 38/33/29 41/37/34 44/42/41 17~32 17~32 17~32 0~30 °C BU 0~30 0~30 Ф6,35 - Ф9,52 Ф6,35 - Ф9,52 Ф6,35 - Ф12,7 1/4" - 3/8" 1/4" - 3/8" 1/4" - 1/2" RG10A-D2S-BGEF 17~30 230 / 50 / 1 °C

R/W = EN14511/EN12102

27° / 19° 35° . /24° 20° / 15° . /6° UE 626/2011

RG10A-D2S-BGEF						Duct/ Box	c/ C&F 2022	
T-MBQ4-03B4	(Box 2 650x650), ,	360°,)			
WF-60A1-C	Smart port				Wi-Fi (USB-)	
	("	")				